



---

# **NEOfold PI**

**THE AUTOMATIC FOLDER  
FOR ALL YOUR NEEDS**

# NEOFOLD PL



## NEOFOLD PL

IS THE LATEST GENERATION OF INTUITIVE AND PROFESSIONAL FOLDING SERIES TO SATISFY YOUR EVERY NEEDS

Designed to meet with the refinishing needs of service centers and offices with any type of production volume.

The extraordinary noiselessness and compactness, combined with the made in Italy structural solidity, pleasant design and availability in the most popular paper sizes, make the NeoFold PL the perfect complement to any toner or inkjet printer for CAD and cartography.

The touch screen display for easy, versatile and intuitive use.

It has a power consumption of 50W only and is so silent it can be installed also in offices and technical studios.

## MEAN FEATURES


- Copies collecting stand
- Paper entry table extension (optional)
- NEOFOLD PL is equipped with a 7" touch screen display
- The rear opening systems allows easy access to the machine for internal cleaning and maintenance.
- The NEOFOLD PL gives you the possibility of a double folding start
- Automatic paper detection sensor.
- Foot pedal.

7" DISPLAY



REAR OPENING MACHINE VIEW



	Compensated fold with edge 20 mm		Front paper ejection
	Compensated fold with edge 25 mm		Back paper ejection
	Compensated fold with edge 30 mm		Fold sizes setting
	Free fold		Settings
	Left compensated fold		Saved programs
	Right compensated fold		Fold key activation with foot
	First fold 190 mm		Folds counter
	First fold 210 mm		Folding measure increase
	Special size first fold		Folding measure decrease
	Crossfold fold 297 mm		Programs SAVE key
	Crossfold fold 305 mm		MULTIMEDIA key for tutorial video
	Special size Crossfold fold		SAVE key to store some parameters and measures.

<b>Datasheet</b>	<b>920</b>	<b>1100</b>
Folding width	920 mm	1100 mm
Max Crossfold	Max. A0	
Max sheet length	Endless with modules of 2,5 mt	
Grams	from 60 to 110 gr..	
Max speed	20 mt/min.	
Power Supply	230 V – 50/60 Hz 110V – 50/60 Hz	
Consumption	50 W	
Dimensions	116x100xh31	134x100xh31
Machine weight	48,5 Kg	58 Kg
Stand weight	11,5 Kg	14 Kg
Decibel	65 db	

The manufacturer reserves the right to change technical and aesthetical specifications without notice

# **NEOfold PI**

**Neolt Factory srl** Via Italia, 6 - 24030 Valbrembo (BG) - T. +39 035.46.88.11 [www.neoltfactory.com](http://www.neoltfactory.com)  
 Per maggiori info contattare [ordini.italia@neoltfactory.com](mailto:ordini.italia@neoltfactory.com)